Harmonized Tariff Schedule of the United States (2016)

Annotated for Statistical Reporting Purposes

CHAPTER 70

GLASS AND GLASSWARE

XIII 70-1

Notes

- 1. This chapter does not cover:
 - (a) Goods of heading 3207 (for example, vitrifiable enamels and glazes, glass frit, other glass in the form of powder, granules or flakes);
 - (b) Articles of chapter 71 (for example, imitation jewelry);
 - (c) Optical fiber cables of heading 8544, electrical insulators (heading 8546) or fittings of insulating material of heading 8547;
 - (d) Optical fibers, optically worked optical elements, hypodermic syringes, artificial eyes, thermometers, barometers, hydrometers or other articles of chapter 90;
 - (e) Lamps or lighting fittings, illuminated signs, illuminated name-plates or the like, having a permanently fixed light source, or parts thereof of heading 9405;
 - (f) Toys, games, sports equipment, Christmas tree ornaments or other articles of chapter 95 (excluding glass eyes without mechanisms for dolls or for other articles of chapter 95); or
 - (g) Buttons, fitted vacuum flasks, scent or similar sprays or other articles of chapter 96.
- 2. For the purposes of headings 7003, 7004 and 7005:
 - (a) Glass is not regarded as "worked" by reason of any process it has undergone before annealing;
 - (b) Cutting to shape does not affect the classification of glass in sheets;
 - (c) The expression "absorbent, reflecting or non-reflecting layer" means a microscopically thin coating of metal or of a chemical compound (for example, metal oxide) which absorbs, for example, infrared light; or which improves the reflecting qualities of the glass while still allowing it to retain a degree of transparency or translucency; or which prevents light from being reflected on the surface of the glass.
- 3. The products referred to in heading 7006 remain classified in that heading whether or not they have the character of articles.
- 4. For the purposes of heading 7019, the expression "glass wool" means:
 - (a) Mineral wools with a silica (SiO 2) content not less than 60 percent by weight;
 - (b) Mineral wools with a silica (SiO 2) content less than 60 percent but with an alkaline oxide (K 2O or Na 2O) content exceeding 5 percent by weight or a borix oxide (B 2O 3) content exceeding 2 percent by weight.

Mineral wools which do not comply with the above specifications fall in heading 6806.

Throughout the tariff schedule, the expression "glass" includes fused quartz and other fused silica.

Subheading Note

1. For the purposes of subheadings 7013.22, 7013.33, 7013.41 and 7013.91, the expression "<u>lead crystal</u>" means only glass having a minimum lead monoxide (PbO) content by weight of 24 percent.

Additional U.S. Notes

1. For the purposes of this chapter, the term "<u>fused quartz or other fused silica</u>" means glass containing more than 95 percent silica by weight.

Harmonized Tariff Schedule of the United States (2016)

Annotated for Statistical Reporting Purposes

XIII 70-2

Additional U.S. Notes (con.)

- 2. For the purposes of headings 7003 through 7005, the expression "colored throughout the mass" refers to glass that has a transmittance of normally incident light of less than 66 percent at one or more wavelengths from 400 to 700 millimicrons, inclusive, or a transmittance of less than 80 percent at one or more wavelengths from 525 to 575 millimicrons, inclusive, for glass 6 mm in thickness, or of the equivalent transmittances for any other thickness, provided that, in determining such light transmittances, the effect of surface irregularities or configurations, or of other surface treatment (except flashing applied prior to solidification) and the effect of wire netting within the glass, shall be eliminated.
- 3. For the purposes of headings 7003 and 7004, glass of the same size and thickness imported in any shipment in quantities over 4.6 m² shall be denied entry unless it is--
 - (a) Packed in units containing, as nearly as the particular size permits, 4.6 m², or multiples thereof; or
 - (b) Packed in units containing multiples of the number of sheets of the same size and thickness which would be contained in a unit if packed to contain, as nearly as such size permits, 4.6 or 9.3 m²; or
 - (c) Otherwise packed in a manner which conforms to the packing practices of the domestic glass industry as determined and published from time to time by the Secretary of the Treasury.
- 4. For the purposes of heading 7005, the expression "polished," as used with reference to glass, refers to glass one or both of the surfaces of which have been made smooth and glossy, in whole or in part, by abrasive or chemical means or by floating the glass over molten metal.
- 5. For the purposes of subheading 7018.10.20, the term "<u>imitation precious or semiprecious stones</u>" means glass made into shapes suitable for use in jewelry or for other ornamental purposes in a manner similar to natural gemstones, whether or not in imitation thereof, but does not include natural gemstones, synthetic gemstones, reconstructed natural gemstones or imitation pearls.

Statistical Note

1. For the purposes of headings 7003 and 7004, in determining the surface area of cast or rolled glass having irregular surfaces (such as corrugated glass), superficial area shall be used.

[Compiler's note: All provisions of subchapter II of chapter 99 have expired; footnote references are shown for reference only.]

	Stat.	A C. L. D C.	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7001.00		Cullet and other waste and scrap of glass; glass in the mass:		Jonatai	Ороски	
		Glass in the mass:				
7001.00.10	00	Of fused quartz or other fused silica	kg	Free		30%
7001.00.20	00	Other	kg	3%	Free (A, AU, BH,	50%
					CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	
					SG)	
7001.00.50	00	Other	kg	Free		10%
7002		Glass in balls (other than microspheres of heading 7018), rods	•			
		or tubes, unworked:				
7002.10		Balls:				
7002.10.10	00	Not over 6 mm in diameter	kg	3.9%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7002.10.20	00	Other	ka	Free		55%
7002.20		Rods:	J			
7002.20.10	00	Of fused quartz or other fused silica	kg	Free		40%
7002.20.50	00	Other	kg	6%	Free (A, AU, BH,	65%
					CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
7000 01 00	00	Tubes:	l	Гиал		400/
7002.31.00		Of fused quartz or other fused silica	•	rree		40%
7002.32.00	00	Of other glass having a linear coefficient of expansion not exceeding 5 x 10 ⁻⁶ per Kelvin within a temperature range of 0°C to 300°C		C0/	Fron (A. All Dil	65%
		range of 0 C to 300 C	Kg	0 /6	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	03 %
7002.39.00		Other		6%	Free (A, AU, BH,	65%
					CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	
	10	Of a length not exceeding 200 mm	No		SG)	
	_	_				
	90	Other	kg			
						I

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Capricading	fix	, il dole 2 3001 pt 0-1	Quantity	General	Special	_
7003	00	Cast glass and rolled glass, in sheets or profiles, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked: Nonwired sheets: Colored throughout the mass (body tinted), opacified,				
		flashed or having an absorbent, reflecting or non-reflecting layer	m²	1.4%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	12%
003.19.00	00	Other	m²	1.3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	21%
003.20.00	00	Wired sheets	m²	1.1%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	21%
7003.30.00	00	Profiles	m²	6.3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
'004		Drawn glass and blown glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked:				
7004.20	00	Glass, colored throughout the mass (body tinted), opacified, flashed or having an absorbent, reflecting or non-reflecting layer:				
7004.20.10	00	Having an absorbent, reflecting or non-reflecting layer Other:	m²	Free		60%
'004.20.20		In rectangular shape		1¢/kg + 1.6%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6.2¢/kg + 5%
	10 20	Measuring less than 5 mm in thickness Measuring 5 mm and over in thickness	m ² kg m ²			
7004.20.50		Other	m kg m²	7.2%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	60%
					SG)	

ΧI	I	I
70-	C	5

	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty 1	2
Subfleading	fix	Article Description	Quantity	General	Special	
7004 (con.)		Drawn glass and blown glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not	,		-,	
7004.90		otherwise worked: (con.) Other glass: In rectangular shape:				
004.90.05	00	Measuring not over 1.5 mm in thickness: Measuring not over 0.26 m² in area	m ²	Free		3.3¢/kg
004.90.10	00		kg	Free		4.2¢/kg
004.90.10	00	Measuring over 0.26 m ² in area Measuring over 1.5 but not over 2 mm in thickness:	mkg	1166		4.2¢/kg
'004.90.15	00	Measuring not over 0.26 m ² in area	m² kg	Free		4.6¢/kg
7004.90.20	00	Measuring over 0.26 m ² in area	m² kg	Free		5.5¢/kg
7004.90.25		Measuring over 2 but not over 3.5 mm in thickness		0.7¢/kg	Free (A, AU, BH,	5.3¢/kg
					CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
	10	Measuring not over 0.26 m ² in area	m² kg			
	20	Measuring over 0.26 but not over 0.58 m² in area	m² kg			
	50	Measuring over 0.58 m ² in area	m² kg			
7004.90.30		Measuring over 3.5 mm in thickness: Measuring not over 0.65 m² in area	J	Free		3.3¢/kg
	10	Measuring not over 0.26 m² in area: Measuring over 3.5 but not over 5 mm in thickness	m ²			
	20	Measuring over 5 mm in thickness	kg m² kg			
	50	Measuring over 0.26 but not over 0.65 m ² in area				
7004.90.40	00	Measuring over 0.65 m ² in area	kg m²	Free		5.3¢/kg
7004.90.50	00	Other	kg m²	5%	Free (A, AU, B, BH, CA, CL, CO, E, IL,	60%
					JO, KR, MA, MX, OM, P, PA, PE, SG)	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
005 005.10		Float glass and surface ground or polished glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked: Nonwired glass, having an absorbent, reflecting or				
005.10.40	00	non-reflecting layer: Suitable for use in liquid crystal displays, measuring				
005.10.80	00	not over 1.2 mm in thickness and not over 0.8 m ² in area Other	m ²	Free 4.4%	Free (A, AU, B, BH,	60% 60%
000:10:00					CA, CL, CÓ, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty 1	2
Subneading	fix	Attible Description	Quantity	General	Special	
7005 (con.)		Float glass and surface ground or polished glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked: (con.) Other nonwired glass:				
7005.21		Colored throughout the mass (body tinted), opacified, flashed or merely surface ground:				
7005.21.10		Measuring less than 10 mm in thickness		14.5¢/m² + 0.4%	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	\$2.13/m ² + 5%
	10	Measuring less than 5 mm in thickness	m ²		·	
	30	Measuring 5 mm or more but less than 10 mm				
7005.21.20	00	in thickness Measuring 10 mm or more in thickness	m ²	5.6%	Free (A+, AU, BH,	55%
	00			. 6.676	CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6676
7005.29		Other: Measuring less than 10 mm in thickness: Measuring not over 0.65 m in area:				
7005.29.04		Suitable for use in liquid crystal				
	4.0	displays		Free		\$1.35/m ²
	10	Measuring not over 0.26 m ² in area				
	50	Measuring over 0.26 m ² but not over	2			
7005.29.08		0.65 m ² in area Other		10 7 11 2	Free /A . All D DIL	A . a = 1 2
7003.29.00				18.7¢/m²	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	\$1.35/M
	10	Measuring not over 0.26 m ² in area	m²			
	50	Measuring over 0.26 m ² but not over	0			
7005.29.14		0.65 m² in area Measuring over 0.65 m² in area: Suitable for use in liquid crystal displays,	m²			
7003.23.14		measuring not over 0.8 m ² in area		Free		\$2.13/m ²
	10	Measuring less than 5 mm in thickness				φ2.13/111
	50	Measuring 5 mm or more but less than	0			
7005.29.18		10 mm in thickness Other	m²	2	Froc./A . ALL D. DU	40.404.2
7003.29.10		Other		14.5¢/m²	Free (A+, AU, B, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	\$2.13/m
	10		m²			
	50	Measuring 5 mm or more but less than 10 mm in thickness	m ²			
7005.29.25	00	Measuring 10 mm or more in thickness	m m²	4.9%	Free (A, AU, BH,	50%
		· ·			CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
7005.30.00	00	Wired glass	m ²	. 29.1¢/m²	_ '	\$2.48/m ²

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix	Attion Document	Quantity	General	Special	
7006.00	00	Glass of heading 7003, 7004 or 7005, bent, edge-worked, engraved, drilled, enameled or otherwise worked, but not framed or fitted with other materials: Strips not over 15.2 cm in width, measuring over 2 mm in thickness, and having all longitudinal edges ground or otherwise smoothed or processed		8.8%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	53%
7006.00.20	00	Other: Glass, drawn or blown and not containing wire netting and not surface ground or polished	m²	6.4%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7006.00.40	10	Other Having an absorbent or reflecting layer		4.9%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7007	50	OtherSafety glass, consisting of toughened (tempered) or laminated glass:	m ²			
7007.11.00		Toughened (tempered) safety glass: Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels		5.5%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
7007.19.00	10 90 00	For motor vehicles of chapter 87 Other Other		5%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	50%
'007.21		Laminated safety glass: Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels:			SG)	
7007.21.10	4.0	Windshields		4.9%	Free (A, AU, B, BH, C, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
' 007.21.50	90 00	For motor vehicles of chapter 87 Other Other	m ²	4.9%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX,	60%
7007.29.00	00	Other	x	4.9%	OM, P, PA, PE, SG) Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%

ΧI	ı	I
70-	C	1

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	Attible Description	Quantity	General	Special	
008.00.00	00	Multiple-walled insulating units of glass	. No	. 3.9%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
009		Glass mirrors, whether or not framed, including rear-view mirrors:				
009.10.00	00		. No	. 3.9%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
200 04		Other:				
009.91 009.91.10	00	Unframed: Not over 929 cm ² in reflecting area	. cm ²	7.8%	Free (A, AU, B, BH,	50%
		Not over 323 cm in renecting area	No.		CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
009.91.50	00	Over 929 cm ² in reflecting area	. cm² No.	6.5%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
009.92		Framed:				
009.92.10	00	Not over 929 cm ² in reflecting area	No.	7.8%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
009.92.50	00	Over 929 cm ² in reflecting area	. cm² No.	. 6.5%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%

Article Description Carboys, bottles, flasks, jars, pots, vials, ampoules and other containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass; stoppers, lids and other closures, of glass: Ampoules	grossgrossgross	2.5%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50¢/gross 25% 75%
containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass; stoppers, lids and other closures, of glass: Ampoules	grossgrossgross	2.5% 5.2% <u>1/</u>	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	25%
Other: Serum bottles, vials and other pharmaceutical containers. Of a capacity exceeding 1 liter. Of a capacity exceeding 0.33 liter but not exceeding 1 liter. Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter.	grossgross	2.5% 5.2% <u>1/</u>	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	25%
Other: Serum bottles, vials and other pharmaceutical containers	gross gross	5.2% <u>1/</u>	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	
Other: Serum bottles, vials and other pharmaceutical containers Of a capacity exceeding 1 liter Of a capacity exceeding 0.33 liter but not exceeding 1 liter Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter	gross		CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	75%
Serum bottles, vials and other pharmaceutical containers	gross	Free		
Of a capacity exceeding 1 liter Of a capacity exceeding 0.33 liter but not exceeding 1 liter Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter	gross	1166		50¢/gross
exceeding 1 literOf a capacity exceeding 0.15 liter but not exceeding 0.33 liter	arocc			50¢/gross
exceeding 0.33 liter	gross			
0(gross			
Of a capacity not exceeding 0.15 liter				
Produced by automatic machine		2.5%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	25%
Of a capacity exceeding 1 liter Of a capacity exceeding 0.33 liter but not	gross			
exceeding 1 liter	gross			
Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter	gross			
Of a capacity not exceeding 0.15 liter	•	5.2%	Free (A All BH	75%
		~_ ~	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
Of a capacity exceeding 1 liter Of a capacity exceeding 0.33 liter but not	gross			
exceeding 1 liter Of a capacity exceeding 0.15 liter but not	gross			
exceeding 0.33 liter Of a capacity not exceeding 0.15 liter	gross gross			
	-			
	Of a capacity exceeding 1 liter Of a capacity exceeding 0.33 liter but not exceeding 1 liter Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter	exceeding 1 litergross Of a capacity exceeding 0.15 liter but not	Of a capacity exceeding 1 liter	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Of a capacity exceeding 1 liter

	Stat.	Anti-la D. 111	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
010 (con.)		Carboys, bottles, flasks, jars, pots, vials, ampoules and other	,			
, ,		containers, of glass, of a kind used for the conveyance or				
		packing of goods; preserving jars of glass; stoppers, lids and				
240.00		other closures, of glass: (con.)				
010.90		Other: (con.)				
con.) 010.90.50		Other containers (with or without their closures)		Free		4.9%
010.00.00		Of a capacity exceeding 1 liter:		. 100		1.0 70
	05	Having a mouth with an outer diameter of				
		38 mm or more	gross			
	09	Other	gross			
		Of a capacity exceeding 0.473 liter but not				
		exceeding 1 liter:				
	15	Having a mouth with an outer diameter of				
			gross			
	19		gross			
		Of a capacity exceeding 0.33 liter but not exceeding 0.473 liter:				
	25	Having a mouth with an outer diameter of				
	_5	38 mm or more	gross		1	
	29		gross		1	
		Of a capacity exceeding 0.15 liter but not	9,000		1	
		exceeding 0.33 liter:				
	35	Having a mouth with an outer diameter of				
		38 mm or more	gross			
	39	Other	gross			
		Of a capacity exceeding 0.118 liter but not				
	4.5	exceeding 0.15 liter:				
	45	Having a mouth with an outer diameter of 38 mm or more	arocc			
	40		_			
	49 55	Other				
	၁၁	Of a capacity not exceeding 0.118 liter	gross			
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					İ	1

	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
011	IIA	Glass envelopes (including bulbs and tubes), open, and glass		General	Special	
011		parts thereof, without fittings, for electric lamps, cathode-ray				
		tubes or the like:				
011.10		For electric lighting:				
011.10.10	00	Bulbs for incandescent lamps	hundreds	Free		20%
011.10.50	00	Other	hundreds	4 6%	Free (A, AU, BH,	55%
011.10.00	00	0.0101	i i i i i i i i i i i i i i i i i i i	1.070	CA, CL, CO, E, IL,	00 70
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
011.20		For cathode-ray tubes:	l			
011.20.10	00	Cones	hundreds	5.2%	Free (A, AU, BH,	55%
					CA, CL, CO, E, IL,	
					JO, MA, MX, OM, P, PA, PE, SG)	
					2.6% (KR)	
		0.1			2.0 /0 (1111)	
011.20.45	00	Other:				
011.20.45	00	Monochrome glass envelopes, the foregoing certified by the importer as being for actual use in				
		automatic data processing machine data or graphic				
		display cathode ray tubesdisplay cathode ray tubes	hundreds	Free		55%
7011 00 0E					Francia (A. Alli Dil	
011.20.85		Other		5.2% <u>1/</u>	Free (A, AU, BH,	55%
					CA, CL, CO, E, IL, JO, MA, MX, OM,	
					P, PA, PE, SG)	
					2.6% (KR)	
		Front panels for cathode-ray television picture			,	
		tubes, including video monitor tubes, color,				
		non-projection:				
	10	With greatest diagonal measurement not				
		exceeding 50 cm	hundreds			
	25	Other	hundreds			
	40	Other				
011.90.00	00	Other	hundreds	6.6%	Free (A, AU, BH,	55%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
				ĺ		
				ĺ		
				ĺ		
			Ī	I		1

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
013		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018):			·	
013.10 013.10.10	00	Of glass-ceramics: Kitchenware, non-glazed, greater than 75 percent by volume crystalline, of lithium aluminosilicate, having a linear coefficient of expansion not exceeding 10 x 10 ⁻⁷				
		per Kelvin within a temperature range of 0°C to 300°C, transparent, haze-free, exhibiting transmittances of infrared radiations in excess of 75 percent at a wavelength of 2.5 microns when measured on a sample 3 mm in thickness, and containing β-quartz				
		solid solution as the predominant crystal phase	No	6.9%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	75%
013.10.50	00		No	26%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 13% (KR)	75%
013.22 013.22.10	00	Stemware drinking glasses, other than of glass-ceramics: Of lead crystal: Valued not over \$1 each	No	15%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE,	60%
013.22.20	00	Valued over \$1 but not over \$3 each	No	1.40/	SG) 7.5% (KR)	60%
013.22.20	00	valued over \$1 but not over \$3 each	NO	1476	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7% (KR)	00%
013.22.30	00	Valued over \$3 but not over \$5 each	No	7.3%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
013.22.50	00	Valued over \$5 each	No	3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix		Quantity	General	Special	1
013 (con.)		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Stemware drinking glasses, other than of glass-ceramics: (con.)				
013.28 013.28.05	00	Other: Pressed and toughened (specially tempered)	No	12.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 6.2% (KR)	50%
013.28.10	00	Other: Valued not over \$0.30 each	No	28.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
013.28.20	00	Valued over \$0.30 but not over \$3 each Valued over \$3 each:	No	22.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
013.28.30	00	Cut or engraved Valued over \$3 but not over \$5 each	No	11.3%	Free (A+, AU, BH,	60%
					CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 5.6% (KR)	
013.28.40	00	Valued over \$5 each	No	5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
013.28.50	00	Other: Valued over \$3 but not over \$5 each	No	7 5%	Free (A+, AU, BH,	60%
		eaci	140	7.376	CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 3.7% (KR)	00 78
013.28.60	00	Valued over \$5 each	No	5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 2.5% (KR)	60%

	Stat.			Unit Rates of D		
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7013 (con.) 7013.33		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Other drinking glasses, other than of glass-ceramics: Of lead crystal:		55.75		
7013.33.10	00	Valued not over \$1 each	No	15%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7.5% (KR)	60%
013.33.20	00	Valued over \$1 but not over \$3 each	No	14%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7% (KR)	60%
013.33.30	00	Valued over \$3 but not over \$5 each	No	7.3%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PE, SG)	60%
7013.33.50	00	Valued over \$5 each	No	370	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix		Quantity	General	Special	
7013 (con.)		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Other drinking glasses, other than of glass-ceramics: (con.)				
7013.37 7013.37.05	00	Other: Pressed and toughened (specially tempered)	No	12.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 6.2% (KR)	50%
013.37.10	00	Other: Valued not over \$0.30 each	No	28.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA,	60%
013.37.20	00	Valued over \$0.30 but not over \$3 each	No	22.5%	PE, SG) Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
013.37.30	00	Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each	No	11.3%	Free (A+, AU, BH,	60%
					CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 5.6% (KR)	
013.37.40	00	Valued over \$5 each Other:	No	5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
013.37.50	00	Valued over \$3 but not over \$5 each	No	7.5%	Free (A+, AU, BH, CA, CL, CO, D, E,	60%
					IL, JO, MA, MX, OM, P, PA, PE, SG) 3.7% (KR)	
013.37.60	00	Valued over \$5 each	No	5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 2.5% (KR)	60%

	Stat.				Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7013 (con.)		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Glassware of a kind used for table (other than drinking glasses) or kitchen purposes, other than of glass-ceramics:	-	0.000		
7013.41 7013.41.10	00	Of lead crystal: Valued not over \$1 each	No	15%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7.5% (KR)	60%
013.41.20	00	Valued over \$1 but not over \$3 each	No	14%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7% (KR)	60%
7013.41.30	00	Valued over \$3 but not over \$5 each	No	10.5%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 5.2% (KR)	60%
7013.41.50	00		No	6%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7013.42		Of glass having a linear coefficient of expansion not exceeding 5 x 10 ⁻⁶ per Kelvin within a temperature range of 0°C to 300°C:				
7013.42.10	00	Pressed and toughened (specially tempered)	No	12.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 6.2% (KR)	50%
7013.42.20	00	Other: Valued not over \$3 each	No	22.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 11.2% (KR)	60%
7013.42.30	00	Valued over \$3 but not over \$5 each	No	11.3%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 5.6% (KR)	60%
7013.42.40	00	Valued over \$5 each	No	7.2%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%

Stat. Suf-	Article Description	Unit of		Rates of Duty	2
fix	Attiole Description	Quantity	General	Special	
	or 7018): (con.) Glassware of a kind used for table (other than drinking glasses) or kitchen purposes, other than of glass-ceramics: (con.)				
00	Pressed and toughened (specially tempered)	No	12.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 6.2% (KR)	50%
nn		No	22 5%	Free (A+ All BH	60%
00	Valued over \$3 each:	140	<i>EE.</i> 376	CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	00 /8
00					
00		No	11.3%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 5.6% (KR)	60%
00	Valued over \$5 each Other:	No	7.2%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
00	Valued over \$3 but not over \$5 each	No	15%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7.5% (KR)	60%
00	Valued over \$5 each	No	7.2%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
	00 00 00 00	Suffix Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Glassware of a kind used for table (other than drinking glasses) or kitchen purposes, other than of glass-ceramics: (con.) Other: Pressed and toughened (specially tempered) Other: Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each	Suffix Article Description of Quantity Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Glassware of a kind used for table (other than drinking glasses) or kitchen purposes, other than of glass-ceramics: (con.) Other: Pressed and toughened (specially tempered) No	Suffix Article Description of Quantity General Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Glassware of a kind used for table (other than drinking glasses) or kitchen purposes, other than of glass-ceramics: (con.) Other: Pressed and toughened (specially tempered)	Suf- Kink

XIII

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	Quantity	General	1 Special	
7013 (con.)		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Other glassware:	,			
7013.91 7013.91.10	00	Of lead crystal: Valued not over \$1 each	No	20%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 10% (KR)	60%
7013.91.20	00	Valued over \$1 but not over \$3 each	No	14%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7% (KR)	60%
7013.91.30	00	Valued over \$3 but not over \$5 each	No	10.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 5.2% (KR)	60%
7013.91.50	00	Valued over \$5 each	No	6%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7013.99 7013.99.10	00	Other: Glassware decorated with metal flecking, glass pictorial scenes or glass thread- or ribbon-like effects, any of the foregoing embedded or introduced into the body of the glassware prior to its solidification; millefiori glassware; glassware colored prior to solidification, and characterized by random distribution of numerous bubbles, seeds				
		or stones, throughout the mass of the glass	No	15%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7.5% (KR)	60%
7013.99.20	00	Pressed and toughened (specially tempered)	No	12.5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 6.2% (KR)	50%

Subheading	Suf-	Article Description	of		1	2
	fix	· ·	Quantity	General	Special	
7013 (con.)		Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): (con.) Others (con.)				
7013.99 con.)		Other: (con.) Other:				
7013.99.30	00	Smokers' articles; perfume bottles fitted with ground glass stoppers	No	9%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
013.99.35	00	Votive-candle holders	No	6.6%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	55%
013.99.40	00	Other: Valued not over \$0.30 each	No	38%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 19% (KR)	60%
013.99.50	00	Valued over \$0.30 but not over \$3 each	No	30%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 15% (KR)	60%
013.99.60	00	Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each	No	15%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 7.5% (KR)	60%
013.99.70	00	Valued over \$5 each	No	7.2%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7013.99.80	00	Other: Valued over \$3 but not over \$5 each	No	11.3%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, MA, MX, OM, P, PA, PE, SG) 5.6% (KR)	60%
7013.99.90	00	Valued over \$5 each	No	7.2%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%

Heading/ Subheading	Stat. Suf-				Rates of Duty 1	2
Subneading	fix	Article Description	of Quantity	General	Special	2
7014.00		Signaling glassware and optical elements of glass (other than those of heading 7015), not optically worked: Optical elements:				
7014.00.10	00	Lens blanks (other than for spectacles)	No	4.1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	40%
7014.00.20	00	Other:	No	5%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
7014.00.30	00	Lenses and filters, and parts thereof	No	3.4%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7014.00.50	00	Other	No	3.3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
'015		Clock or watch glasses and similar glasses, glasses for noncorrective or corrective spectacles, curved, bent, hollowed or the like, not optically worked; hollow glass spheres and their segments, for the manufacture of such glasses:				
015.10.00	00	Glasses for corrective spectacles	No	Free		40%
015.90		Other: Watch glasses:				
015.90.10	00	Round	No	Free		60%
7015.90.20 7015.90.50	00	Other		Free		60%
7016 7016.10.00		Paving blocks, slabs, bricks, squares, tiles and other articles of pressed or molded glass, whether or not wired, of a kind used for building or construction purposes; glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative purposes; leaded glass windows and the like; multicellular or foam glass in blocks, panels, plates, shells or similar forms: Glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative		Free		60%
7016 00		purposes Other:	X	2.7%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7016.90 7016.90.10		Paving blocks, slabs, bricks, squares, tiles and other articles of pressed or molded glass		8%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
	10	Bricks and blocks	No.		30)	
7016.90.50	50 00	OtherOther		5%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%

Heading/	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7017		Laboratory, hygienic or pharmaceutical glassware, whether or				
7017.10		not graduated or calibrated: Of fused quartz or other fused silica:				
017.10	00	Quartz reactor tubes and holders designed for insertion				
		into diffusion and oxidation furnaces for production of				
		semiconductor wafers		Free		50%
7017.10.60	00	Other	X	4.6%	Free (A, AU, BH,	50%
7017 00 00	00				CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
7017.20.00	00	Of other glass having a linear coefficient of expansion not exceeding 5 x 10 ⁻⁶ per Kelvin within a temperature range				
		of 0°C to 300°C	X	6.7% 1/	Free (A, AU, BH,	85%
			***************************************	6.7.70 <u>17</u>	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	0070
7017.90 7017.90.10	00	Other: Microscope slides and micro cover glasses	V	Eroo		85%
		-			- /A ALL BL	
7017.90.50	00	Other	Х	6.7%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	85%
7018		Glass beads, imitation pearls, imitation precious or				
7018.10 7018.10.10		semiprecious stones and similar glass smallwares and articles thereof other than imitation jewelry; glass eyes other than prosthetic articles; statuettes and other ornaments of lamp-worked glass, other than imitation jewelry; glass microspheres not exceeding 1 mm in diameter: Glass beads, imitation pearls, imitation precious or semiprecious stones and similar glass smallwares: Imitation pearls and imitation pearl beads of all shapes and colors, drilled or not drilled, but not strung (except				
			X	4%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
7018.10.20	00	Imitation precious or semiprecious stones (except	V	Гтоо		200/
7010 10 50		imitation beads thereof)		Free		20%
7018.10.50 7018.20.00		OtherGlass microspheres not exceeding 1 mm in diameter		Free 5%	Free (A+, AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	40% 60%
7018.90		Other:	V	0.00/		705
7018.90.10	00	Glass eyes, except prosthetic articles	X	3.2%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	70%
7018.90.50	00	Other	X	6.6%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%

XIII

	Stat.	at.		Rates of Duty		
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
019		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics): Slivers, rovings, yarn and chopped strands:	,		,,,,,	
019.11.00	00	Chopped strands, of a length of not more than 50 mm	kg	. 4.9%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
019.12.00		Rovings		4.8%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
	40	Of a kind used in industry as packing or lubricating materials	kg		,	
	80	Other	kg			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Cabricading	fix		Quantity	General	Special	<u> </u>
'019 (con.) '019.19		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics): (con.) Slivers, rovings, yarn and chopped strands: (con.) Other:				
		Yarns: Not colored:				
7019.19.05	00	Fiberglass rubber reinforcing yarn, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds		Free		50%
019.19.15		Other		6.5%	Free (AU, BH, CA, CL, CO, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
	40	Of a kind used in industry as packing or lubricating materials (201)	kg		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	80	Other (201) Colored:	kg			
7019.19.24	00	Fiberglass rubber reinforcing yarn, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric				
		compounds				60%
7019.19.28		Other (201)	ŭ		Free (AU, BH, CA, CL, CO, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
'019.19.30	00	Chopped strands, of a length more than 50 mm	kg	4.9%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
7019.19.70	00	Fiberglass rubber reinforcing cord, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to	lt a	Fran		E00/
7010 10 00	00	polymeric compounds Other	_		Froe (A . All Dil	50% 50%
7019.19.90	00	Other		14.2 /0	Free (A+, AU, BH, CA, CL, CO, D, E*, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	

7019.31.00 00 Example. Thin similar 7019.32.00 00 T	Article Description ers (including glass wool) and articles thereof (for yarn, woven fabrics): (con.) sheets (voiles), webs, mats, mattresses, boards and ar nonwoven products: Mats	kgkg		Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
019.31.00 00 Thin similar control of the control of	yarn, woven fabrics): (con.) sheets (voiles), webs, mats, mattresses, boards and ar nonwoven products: Mats Thin sheets (voiles) Other: Insulation products Pipe coverings Other	kgkg	. 4.3% . 4.3% 4.9%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
019.31.00 00 M 019.32.00 00 T 019.39 019.39.10 C	Aats Other: Insulation products Batts Pipe coverings Other	kg X X X	. 4.3% 4.9%	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
019.39 019.39.10 10 20 90	Other: Insulation products Batts Pipe coverings	x x x	4.9%	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	50%
10 20 90	Batts Pipe coverings	X X X		CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG) Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	
20 90	Pipe coverings	X	. 4.9%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	50%
90	Other	X	. 4.9%	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	50%
	Other	X	. 4.9%	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	50%
019.39.50 00	Other	X	. 4.9%	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	50%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
- Cubileaulily	fix	Article Description	Quantity	General	Special	
7019 (con.)		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics): (con.)	,		1,	
7019.40		Woven fabrics of rovings: Of a width not exceeding 30 cm:				
'019.40.05	00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric				
		compounds (622)	m² kg	Free		50%
'019.40.15	00	Other (622)	m² kg	. 6%	Free (AU, BH, CA, CL, CO, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
		Other: Not colored:			, , , , ,	
7019.40.30	00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with respectively formal dehyde latex treatment for				
		adhesion to polymeric compounds (622)	m² kg	Free		50%
7019.40.40		Other		7.3%	Free (AU, BH, CA, CL, CO, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
	30	Silica filament fabric of filaments with a silica content greater than 93 percent (622)	m² kg		1,171,12,03)	
	60	` ,	m² kg			
7019.40.70	00	Colored: Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in meter and impregnated with resorcinol formaldehyde latex treatment for	2	Free		600/
		adhesion to polymeric compounds (622)	m² kg	. Free		60%
7019.40.90		Other		7%	Free (AU, BH, CA, CL, CO, IL, JO, KR, MA, MX, OM,	60%
	30	Silica filament fabric of filaments with a silica content greater than 93 percent (622)	m² kg		P, PA, PE, SG)	
	60	Other (622)	m ² kg			

	Stat.	A # 1 D #	Unit		Rates of Duty	-
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
019 (con.) 019.51 019.51.10		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics): (con.) Other woven fabrics: Of a width not exceeding 30 cm: Fiberglass tire cord woven from electrically	Quanty	Genelal	Оресіа	
		nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	m²	Free		50%
7019.51.90		Other	kg 	6%	Free (AU, BH, CA, CL, CO, IL, JO, KR, MA, MX, OM,	50%
	10	Weighing 185 grams or less per square meter (622)	m² kg		P, PA, PE, SG)	
	90	Other (622)	m² kg			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Japricading	fix	Attiolo Description	Quantity	General	Special	
019 (con.) 019.52		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics): (con.) Other woven fabrics: (con.) Of a width exceeding 30 cm, plain weave, weighing less than 250g/m², of filaments measuring per single yarn not more than 136 tex:				
019.52.30	00	1 3 1 1 /	m ²	Free		50%
			kg			
019.52.40		Other		7.3%	Free (AU, BH, CA, CL, CO, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	50%
	10	` /	m² kg			
	21	Weighing more than 215 grams per square meter, with a filament diameter of 7 to 13 microns (622)	_			
	96	Other (622)	m² kg			
019.52.70	00	Colored: Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for				
7019.52.90		, , , ,	m² kg	Free	Francial Dil Ca	60%
019.52.90		Other		7%	Free (AU, BH, CA, CL, CO, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	60%
	10		m² kg			
21	21	,	m²			
	96	Other (622)	kg m² kg			

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	- 2
'019 (con.)		Glass fibers (including glass wool) and articles thereof (for			·	
		example, yarn, woven fabrics): (con.)				
2010 50		Other woven fabrics: (con.)				
019.59		Other: Not colored:				
019.59.30	۸۸	Fiberglass tire cord fabric woven from				
013.33.30	00	electrically nonconductive continuous				
		fiberglass filaments 9 microns in diameter to				
		11 microns in diameter and impregnated with				
		resorcinol formaldehyde latex treatment for	_	_		
		adhesion to polymeric compounds (622)	m ²	Free		50%
			kg			
019.59.40		Other		7.3%	Free (AU, BH, CA,	50%
					CL, CO, IL, JO,	
					KR, MA, MX, OM,	
	4.0	Weighigg 105 groups and account of			P, PA, PE, SG)	
	10	Weighing 185 grams or less per square meter (622)	m²			
			kg			
		Mainhing group the group of Farence and a survey	•			
	21	Weighing more than 215 grams per square meter, with a filament diameter of 7 to				
		13 microns (622)	m^2			
		10 111010113 (022)	kg			
	96	Other (622)	m ²			
	90	Otiliei (022)	kg			
		Colored:	Ng			
019.59.70	00	Fiberglass tire cord fabric woven from				
		electrically nonconductive continuous				
		fiberglass filaments 9 microns in diameter to				
		11 microns in diameter and impregnated with				
		resorcinol formaldehyde latex treatment for	m²	Free		60%
	adhesion to polymeric compounds (622)	m ka	1166		00 /8	
			9			
019.59.90		Other		7%	Free (AU, BH, CA,	60%
					CL, CO, IL, JO, KR, MA, MX, OM,	
					P, PA, PE, SG)	
	10	Weighing 185 grams or less per square			1,17,12,00)	
		meter (622)	m^2			
			kg			
	21	Weighing more than 215 grams per square				
		meter, with a filament diameter of 7 to				
96	13 microns (622)	m ²				
		kg				
	Other (622)	m ²				
			kg			
				I	1	1

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	Quantity	General	1 Special	2
'019 (con.)		Glass fibers (including glass wool) and articles thereof (for				
019.90		example, yarn, woven fabrics): (con.) Other:				
019.90	00	Utner: Woven	X	4.8%	Free (A+, AU, BH,	60%
010.00.10		***************************************	,	4.070	CA, CL, CO, D, E,	00 70
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
1010 00 50		Oil			PE, SG)	500/
019.90.50		Other		4.3%	Free (A, AU, B, BH, CA, CL, CO, E, IL,	50%
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
	20	Glass fibers in bulk	V		SG)	
	40	Glass fiber filters				
	50	Other	X			
7020.00		Other articles of glass:				
020.00.30	00	Quartz reactor tubes and holders designed for insertion into diffusion and oxidation furnaces for production of				
		semiconductor wafers	X	Free		55%
'020.00.40	00	Glass inners for vacuum flasks or for other vacuum				
0_0.00		vessels	No	6.6%	Free (A, AU, BH,	37.5¢ each
					CA, CL, CO, E, IL,	45%
					JO, KR, MA, MX,	
					OM, P, PA, PE, SG)	
020.00.60	nn	Other	x	5% 1/	Free (A, AU, BH,	55%
020.00.00	00	01101	,	376 <u>17</u>	CA, CL, CO, E, IL,	33 /0
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
	l				İ	