## Harmonized Tariff Schedule of the United States (2016)

Annotated for Statistical Reporting Purposes

#### **CHAPTER 74**

#### COPPER AND ARTICLES THEREOF

XV 74-1

### **Note**

1. In this chapter the following expressions have the meanings hereby assigned to them:

#### (a) Refined copper

Metal containing at least 99.85 percent by weight of copper; or

Metal containing at least 97.5 percent by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Elem	ent	Limiting content percent by weight
Ag	Silver	0.25
As	Arsenic	0.5
Cd	Cadmium	1.3
Cr	Chromium	1.4
Mg	Magnesium	0.8
Pb	Lead	1.5
S	Sulfur	0.7
Sn	Tin	0.8
Te	Tellurium	0.8
Zn	Zinc	1
Zr	Zirconium	0.3
Other elements*, each		0.3

<sup>\*</sup> Other elements are, for example, Al, Be, Co, Fe, Mn, Ni, Si.

### (b) Copper alloys

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that:

- (i) The content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
- (ii) The total content by weight of such other elements exceeds 2.5 percent.

## (c) Master alloys

Alloys containing with other elements more than 10 percent by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in the metallurgy of nonferrous metals. However, copper phosphide (phosphor copper) containing more than 15 percent by weight of phosphorus falls in heading 2848.

### (d) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and

## Harmonized Tariff Schedule of the United States (2016)

Annotated for Statistical Reporting Purposes

XV 74-2 <u>Note</u> (con.)

dimensions, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire bars and billets with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire rod) or tubes, are, however, to be taken to be unwrought copper of heading 7403.

### (e) Profiles

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

### (f) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width.

### (g) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 7403), coiled or not, of solid rectangular (other than square) cross section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 7409 and 7410 apply, <u>inter alia</u>, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, checkers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

### (h) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross section, which may have corners rounded along their whole length, are also to be taken to be tubes and pipes provided the inner and outer cross sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

### **Subheading Note**

- 1. In this chapter the following expressions have the meanings hereby assigned to them:
  - (a) Copper-zinc base alloys (brasses)

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements;
- any nickel content by weight is less than 5 percent (see copper-nickel-zinc alloys (nickel silvers)); and
- any tin content by weight is less than 3 percent (see copper-tin alloys (bronzes)).

## Harmonized Tariff Schedule of the United States (2016)

Annotated for Statistical Reporting Purposes

#### XV 74-3

### Subheading Note (con.)

### (b) Copper-tin base alloys (bronzes)

Alloys of copper and tin, with or without other elements. When other elements are present, tin predominates by weight over each of such other elements, except that when the tin content is 3 percent or more the zinc content by weight may exceed that of tin but must be less than 10 percent.

### (c) Copper-nickel-zinc base alloys (nickel silvers)

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5 percent or more by weight (see copper-zinc alloys (brasses)).

### (d) Copper-nickel base alloys

Alloys of copper and nickel, with or without other elements but in any case containing by weight not more than 1 percent of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

### Additional U.S. Note

 The deduction provided for in additional U.S. note 1 to chapter 26 shall apply to cement copper and copper precipitates of subheading 7401.20.

### Statistical Note

I. For the purposes of this chapter, the term "beryllium copper master alloy" refers to master alloys which contain by weight at least 3 percent but not more than 10 percent beryllium.

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	·	Quantity	General	Special	
401.00.00	00	Copper mattes; cement copper (precipitated copper)	kg	Free		6%
402.00.00	00	Unrefined copper; copper anodes for electrolytic refining	kg Cu kg	Free		6%
7403		Refined copper and copper alloys, unwrought (other than master alloys of heading 7405): Refined copper:				
7403.11.00	00	Cathodes and sections of cathodes	kg	1%	Free (A*, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6%
'403.12.00	00	Wire bars	kg	1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6%
7403.13.00	00	Billets	kg	1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6%
7403.19.00	00	Other	kg	1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6%
7403.21.00	00	Copper alloys: Copper-zinc base alloys (brass)	kg	1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6%
7403.22.00	00	Copper-tin base alloys (bronze)	kg	1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6%
7403.29.01		Other copper alloys		1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	6%
	10	Copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	kg		SG)	
	80	Other	kg			

>	۲V
71	Б

	Stat.		Unit		Rates of Duty	1
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
404.00	IIX	Copper waste and scrap:	Quantity	General	Special	
404.00.30		Spent anodes; waste and scrap with a copper content of				
		less than 94 percent by weight		Free		6%
	20	Of refined copper	kg			
		Of copper alloys:				
		Of copper-zinc base alloys (brass):				
	45	Containing more than 0.3 percent of lead	kg			
	55	Other	kg			
	65	Of copper-tin base alloys (bronze)				
	90	Other	ka			
404.00.60		Other		Free		6%
	20	Of refined copper				
		Of copper alloys:				
		Of copper-zinc base alloys (brass):				
	45	Containing more than 0.3 percent of lead	kg			
	55	Other	•			
	65	Of copper-tin base alloys (bronze)				
		• • • • • • • • • • • • • • • • • • • •	•			
	90	Other	кд			
405.00		Master alloys of copper:				
405.00.10	00	Containing by weight 5 percent or more but not more than		_		100/
		15 percent of phosphorus	kg	Free		12%
405.00.60		Other		Free		28%
	30	Beryllium copper master alloy	kg			
	50	Other	kg			
406		Copper powders and flakes:				
406.10.00	00	Powders of non-lamellar structure	ka	Free		49%
		Powders of lamellar structure; flakes	_			12%
400.20.00	00	1 Owders of latticities structure, flakes	Kg	1166		12 /0

	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty	2
	fix	·	Quantity	General	Special	
407 407.10		Copper bars, rods and profiles: Of refined copper: Profiles:				
407.10.15	00	Hollow profiles	kg	.3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	48%
407.10.30	00	Other	kg	. 3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	48%
407.10.50		Bars and rods		1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	7%
	10	Having a rectangular cross section	kg			
407.21	50	Other Of copper alloys: Of copper-zinc base alloys (brass): Profiles:	kg			
7407.21.15	00	Hollow profiles	kg	. 2.2%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	17%
7407.21.30	00	Other	kg	. 2.2%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	17%
7407.21.50	00	Bars and rods:  Low fuming brazing rods	kg	2.2%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	9%
<sup>7</sup> 407.21.70	00	Other: Having a rectangular cross section	kg	. 1.9%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	9%
7407.21.90	00	Other	kg	2.2%	Free (A*, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	9%

ΧV	
7/7	

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7407 (con.)	TIX.	Copper bars, rods and profiles: (con.)	Quantity	General	Оресіаі	
107 (0011.)		Of copper alloys: (con.)				
7407.29		Other:				
		Profiles:				
407.29.16		Hollow		3%	Free (A, AU, BH,	48%
					CA, CL, CO, E, IL, JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
	10	Of copper-nickel base alloys (cupro-nickel)				
		or copper-nickel-zinc base alloys (nickel				
		silver)	kg			
	80	Other	kg			
		Other:				
407.29.34	00	Of copper-nickel base alloys (cupro-nickel)				
		or copper-nickel-zinc base alloys (nickel	l. a.	00/	Francia All Dil	400/
		silver)	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL,	48%
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7407.29.38	იი	Other	ka	3%	Free (A, AU, BH,	48%
107.20.00		0.0		0 70	CA, CL, CO, E, IL,	1070
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7407.29.40	00	Bars and rods of copper-nickel base alloys				
		(cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	ka	20/	Free (A, AU, BH,	48%
		(flicker sliver)	ку	3%	CA, CL, CO, E, IL,	40%
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7407.29.50	00	Other bars and rods	kg	1.6%	Free (A, AU, BH,	9%
			J		CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
	Ì			I	1	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
g	fix		Quantity	General	Special	
'408		Copper wire:				
7400 11		Of refined copper:				
'408.11		Of which the maximum cross-sectional dimension exceeds 6 mm:				
408.11.30	00	With a maximum cross-sectional dimension over				
100.11.00		9.5 mm	kg	1%	Free (A, AU, BH,	7%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE, SG)	
7400 44 00	00	Well-			30)	
'408.11.60	00	With a maximum cross-sectional dimension over 6 mm but not over 9.5 mm	ka	20/	Free (A*, AU, BH,	28%
		O HILL DUCTION OVER 3.3 HILL	ку	3 /6	CA, CL, CO, E, IL,	20 /0
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
408.19.00		Other		3%	Free (A*, AU, BH,	28%
					CA, CL, CO, E, IL, JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
	30	With a maximum cross-sectional dimension of				
		3 mm or less	_			
	60	Other	kg			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Of copper alloys:	l.	001	- /A ALL BL	000/
'408.21.00	00	Of copper-zinc base alloys (brass)	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL,	28%
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
408.22		Of copper-nickel base alloys (cupro-nickel) or				
		copper-nickel-zinc base alloys (nickel silver):				
408.22.10	00	Coated or plated with metal	kg	3%	Free (A, AU, BH,	28%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX, OM, P, PA, PE,	
					SG)	
408.22.50	00	Not coated or plated with metal	ka	3%	Free (A, AU, BH,	28%
400.22.30	00	Not coated or plated with metal	ку	3 76	CA, CL, CO, E, IL,	20 /6
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
7400.00		Othory			SG)	
408.29 408.29.10	nn	Other: Coated or plated with metal	ka	3%	Free (A, AU, BH,	28%
700.23.10	50	Coated or plated with metal	\\g	J /6	CA, CL, CO, E, IL,	20 /0
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
408.29.50	00	Not coated or plated with metal	kg	3%	Free (A, AU, BH,	28%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX, OM, P, PA, PE,	
					SG)	
					/	
			I	1	1	1

ΧV	
7/ O	

	Stat.	Astiala Decariation	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7409		Copper plates, sheets and strip, of a thickness exceeding 0.15 mm:  Of refined copper:			орози.	
7409.11 7409.11.10	00	In coils:  Of a thickness of 5 mm or more	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	38%
7409.11.50		Of a thickness of less than 5 mm		1%	SG) Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	7.5%
	10	Of a width of 500 mm or more	ka		SG)	
	50	Of a width of less than 500 mm	Ŭ			
<sup>7</sup> 409.19		Other:	I''9			
7409.19.10	00	Of a thickness of 5 mm or more	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	48%
		Of a thickness of less than 5 mm:				
7409.19.50	00	Of a width of 500 mm or more	kg	1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	7.5%
409.19.90	00	Of a width of less than 500 mm	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	48%
7409.21.00		Of copper-zinc base alloys (brass): In coils		1.9%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	9%
	10	Of a thickness of 5 mm or more	ka		SG)	
		Of a thickness of less than 5 mm:				
	50	Of a width of 500 mm or more	kg			
	75	Of a width of less than 500 mm: Of a thickness less than 1.6 mm	kg			
7409.29.00	90	OtherOther	3	1.9%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE,	9%
	10	Of a thickness of 5 mm or more	kg		SG)	
	50	Of a thickness of less than 5 mm: Of a width of 500 mm or more	kg			
		Of a width of less than 500 mm:				
	75	Of a thickness less than 1.6 mm	kg			
	90	Other	kg			

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	,	Quantity	General	Special	
409 (con.)		Copper plates, sheets and strip, of a thickness exceeding 0.15 mm: (con.)  Of copper-tin base alloys (bronze):				
7409.31 7409.31.10	00	In coils:  Of a thickness of 5 mm or more	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	49%
409.31.50	00	Of a thickness of less than 5 mm: Of a width of 500 mm or more	kg	1.7%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	9%
7409.31.90	00	Of a width of less than 500 mm	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	49%
7409.39 7409.39.10		Other: Of a thickness of 5 mm or more		3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	49%
	30	Of phosphor bronze	kg Cu kg		30)	
	60	Other	kg Cu kg			
7409.39.50	00	Of a thickness of less than 5 mm: Of a width of 500 mm or more	kg	1.7%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	9%
7409.39.90		Of a width of less than 500 mm		3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	49%
	30	Of phosphor bronze	kg Cu kg		(SG)	
	60	Other	kg Cu kg			
7409.40.00	00	Of copper-nickel base alloys (cupro-nickel) or copper- nickel-zinc base alloys(nickle silver)	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	48%

	X۷
71	11

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	or Quantity	General	1 Special	_ ′
409 (con.)		Copper plates, sheets and strip, of a thickness exceeding			·	
		0.15 mm: (con.)				
409.90		Of other copper alloys:		00/	Francis (A. Alli Dill	400/
409.90.10		Of a thickness of 5 mm or more		3%	Free (A, AU, BH, CA, CL, CO, E, IL,	49%
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
	30	Of beryllium copper	kg			
			Cu kg			
	60	Other				
		Of a thickness of less than 5 mm:	Cu kg			
409.90.50		Of a width of 500 mm or more		1.7%	Free (A, AU, BH,	9%
403.30.30		Of a width of 300 min of more		1.7 /6	CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
	00	Of have III' are a constant			SG)	
	30	Of beryllium copper				
	ء ۔		Cu kg			
	60	Other	kg Cu kg	1		
409.90.90		Of a width of less than 500 mm		3%	Free (A, AU, BH,	49%
403.30.30		Of a width of less than 500 min		3 78	CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
		0(1   11)			SG)	
	30	Of beryllium copper	kg Cu kg			
	60	Other				
			Cu kg			
				1		
				1		
				1		
				1		
				1		
			I		1	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix		Quantity	General	Special	
410		Copper foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.15 mm:  Not backed:				
'410.11.00	00	Of refined copper	kg	1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6.5%
410.12.00		Of copper alloys		1%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6.5%
	30	Of copper-zinc base alloys (brass)	kg			
	60	Other	kg			
7440.04		Backed:				
7410.21 7410.21.30		Of refined copper: Copper clad laminates		3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	80%
		Having a base wholly of plastics impregnated				
	20	glass: Having copper on one side only	m <sup>2</sup>			
	20		kg			
	40	Having copper on both sides	•			
		Other	kg			
	60					
410.21.60	იი	Other	kg ka	1.5%	Free (A, AU, BH,	6%
. 13.21.00	33		Ç		CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
7410.22.00	00	Of copper alloys	kg	1.5%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	6%

	Χ	٧
74	-1	3

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
411		Copper tubes and pipes:	,	2 2 21 21	-1	
411.10		Of refined copper:				
411.10.10		Seamless		1.5%	Free (A, AU, BH,	13%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
	00				SG)	
	30	Having an outside diameter of 6 mm or more but	le m			
		not exceeding 16 mm, in coils on spools	_			
	90	Other	J			
7411.10.50	00	Other	kg	3%	Free (A, AU, BH,	47%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX, OM, P, PA, PE,	
					SG)	
		Of copper alloys:			1 00)	
411.21		Of copper-zinc base alloys (brass):				
411.21.10	00	Seamless	kg	1.4%	Free (A, AU, BH,	10%
			_		CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7411.21.50	00	Other	kg	3%	Free (A, AU, BH,	49%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
7411.22.00	00	Of coppor pickel base allows (ourse sinkel) or			SG)	
411.22.00	UU	Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel-silver)	ka	3%	Free (A, AU, BH,	47%
		copper-flicker-zific base alloys (flicker-sliver)	ку	3 /6	CA, CL, CO, E, IL,	47 /0
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7411.29		Other:				
7411.29.10	00	Seamless	kg	1.4%	Free (A, AU, BH,	10%
			3		CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7411.29.50	00	Other	kg	3%	Free (A, AU, BH,	49%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
				I	I	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Capricading	fix	Attible Description	Quantity	General	Special	_ ′
7412		Copper tube or pipe fittings (for example couplings, elbows,	-		· ·	
		sleeves):				
7412.10.00	00	Of refined copper	kg	. 3%	Free (A, AU, B, BH,	46%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7412.20.00		Of copper alloys		3%	Free (A, AU, B, BH,	49%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE, SG)	
	15	For brake hoses for vehicles of subheading 8701.20			30)	
	10	or heading 8702, 8703, 8704, or 8705	ka			
		Other:	9			
		Of copper-zinc base alloys (brass):				
		Threaded:				
	25	Nipples	ka			
			_			
	35 45	OtherOther		1		
	40	Other:	λy	1		
		Threaded:				
	65	Nipples	kg			
	85	Other	_			
	90	Other				
7410.00			ing in			
7413.00		Stranded wire, cables, plaited bands and the like, including slings and similar articles, of copper, not electrically insulated:				
		Not fitted with fittings and not made up into articles:				
7413.00.10	00	Stranded wire	ka	3%	Free (A*, AU, BH,	35%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
					SG)	
7413.00.50	00	Other	kg	. 2%	Free (A*, AU, BH,	35%
					CA, CL, CO, E, IL,	
					JO, KR, MA, MX,	
					OM, P, PA, PE,	
7413.00.90	იი	Fitted with fittings or made up into articles	ka	3%	SG) Free (A*, AU, B, BH,	15%
7 + 10.00.50	00	Titled with fittings of made up into articles	ку	. 5 /6	C, CA, CL, CO, E,	43 /0
					IL, JO, KR, MA,	
					MX, OM, P, PA,	
					PE, SG)	
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
	1		Ī	1	I	I

	Χ	V
74	-1	5

	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
415		Nails, tacks, drawing pins, staples (other than those of heading 8305) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of copper:				
7415.10.00	00		kg	2.5%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
415.21.00	00	Other articles, not threaded: Washers (including spring washers)	kg	3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7415.29.00	00	Other Other threaded articles:	kg	3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7415.33 7415.33.05	00	Screws, bolts and nuts: Screws for wood	kg	3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7415.33.10	00	Muntz or yellow metal bolts	kg	1.4%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	7%
7415.33.80	10	Other screws and bolts; nuts		3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
	10 50	Having shanks, threads or holes 6 mm or more in diameter				
7415.39.00		6 mm in diameter	kg kg	3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subileading	fix	Attible Description	Quantity	General	Special	
7418		Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of				
7418.10.00		copper:  Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like		3%	Free (A, AU, BH,	40%
					CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	
		Pot scourers and scouring or polishing pads, gloves and the like:				
	02	Of copper-zinc base alloys (brass)	_			
	04 19	Other: Other: Coated or plated with precious metals				
	13	Other: Of copper-zinc base alloys (brass):	Ng .			
	21	Cooking or heating apparatus of a kind used for domestic purposes, non- electric				
		and parts thereof	_			
	23	Cooking and kitchen ware	_			
	25	Other	kg			
	51	Other:  Cooking or heating apparatus of a kind used for domestic purposes, non- electric and parts thereof				
	53	Cooking and kitchen ware	No. kg			
	55	Other	kg			
7418.20 7418.20.10	00	Sanitary ware and parts thereof: Of copper-zinc base alloys (brass)	ka	3%	Free (A, AU, BH,	40%
7 4 10.20.10		Or copper zine base anoje (brase)	Kg	. 0 70	CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	40 /0
7418.20.50	00	Other	kg	. 3%	Free (A, AU, BH,	40%
					CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	

	ΧV
71	17

Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
ŭ	fix	Article Description	Quantity	General	Special	
<sup>7</sup> 419		Other articles of copper:				
7419.10.00		Chain and parts thereof  Other:	kg	3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7419.91.00	10	Cast, molded, stamped or forged, but not further worked  Brass plumbing goods, not elsewhere specified or included		Free		46%
7419.99	50	Other Other: Cloth (including endless bands), grill and netting, of copper wire; expanded metal of copper: Cloth:	kg			
7419.99.03	00	Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines, with 94 or more wires to the lineal	m <sup>2</sup>	Free		75%
			kg			
7419.99.06		Other		3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	43%
	60		m² kg m²			
	80		m <sup>-</sup> kg			
	00	Other		3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	43%
7419.99.15	00	Containers of a kind normally carried on the person, in the pocket or in the handbag	doz	3%	Free (AU, BH, CA, CL, CO, D, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	110%
7419.99.16	00	Copper springs	kg	3%	Free (A, AU, B, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	45%
7419.99.30	00	Other:  Coated or plated with precious metal	kg	3%	Free (A, AU, BH, CA, CL, CO, E, IL, JO, KR, MA, MX, OM, P, PA, PE, SG)	65%
7419.99.50	10	OtherBrass plumbing goods not elsewhere specified or included		Free		46%